

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
3	3999	((717/101,106-107,114,118,127,130-131,136,137,138) or (714/38) or (704/9,10) or (715/519) or (345/709)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 08:19
4	6	((717/101,106-107,114,118,127,130-131,136,137,138) or (714/38) or (704/9,10) or (715/519) or (345/709)).CCLS.) and (pars\$4 and token\$6) and keyword and (line near5 count\$4) and (measur\$5 or analysis or versioning) and ((file or version) same (difference or merg\$4))) and (@ad<=20010705 or @rlad<=20010705) and ((@ad<=20010705 or @rlad<=20010705) and keyword and (line near5 count\$4) and (measur\$5 or analysis or versioning) and ((file or version) same (difference or merg\$4))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 08:21
5	6	((717/101,106-107,114,118,127,130-131,136,137,138) or (714/38) or (704/9,10) or (715/519) or (345/709)).CCLS.) and (pars\$4 and token\$6) and keyword and (line near5 count\$4) and (measur\$5 or analysis or versioning) and ((file or version) same (difference or merg\$4))) and (@ad<=20010705 or @rlad<=20010705) and ((@ad<=20010705 or @rlad<=20010705) and keyword and (line near5 count\$4) and (measur\$5 or analysis or versioning) and ((file or version) same (difference or merg\$4))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 08:22
-	126	((@ad<=20010705 or @rlad<=20010705) and ((line near3 code) same count\$5).clm.) and (source adj code) and (token or pars\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:25
-	1	((@ad<=20010705 or @rlad<=20010705) and ((line near3 code) same count\$5).clm.) and ((token near3 stream) same count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:05
-	1	717/\$ and (line near5 count\$4) and ((token near3 stream) same count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:28
-	1	717/\$ and (line near5 count\$4) and ((token near3 stream) same count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:07
-	1443	SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:32
-	25	(SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword) near4 count\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:38
-	60	(SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword) same count\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:29
-	1	((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword) same count\$5)) and pars\$4 and (token near3 (type or categor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:28
-	1322	((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:24

-	121	(SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and SCAMP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:34
-	10	((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and SCAMP) and (parser or token)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
-	1	((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and SCAMP) not (((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and SCAMP) and (parser or token)) and (program near6 measur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:38
-	20	((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:39
-	4	((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and "Business Machines".as.) and (parser or token)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:21
-	454	((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:24
-	141	((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:35
-	120	lexical\$5 and pars\$4 and (token near3 (type or categor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:29
-	2	((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6)) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:29
-	4	(lexical\$5 and pars\$4 and (token near3 (type or categor\$4))) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:30
-	4	((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6)) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:30
-	2	((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6)) and ((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:30

-	25	((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (lexical\$5 and pars\$4 and (token near3 (type or categor\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:31
-	1	((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and (count\$5 near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:36
-	483	((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:36
-	101	((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:23
-	10	((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line)) and ((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) or (((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line)) and (("source code" near4 analy\$5) or (software near6 measur\$6) or (software adj2 (program or code)) near3 metrics) .ab.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:37
-	7	((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line)) and ((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) or (((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line)) and (("source code" near4 analy\$5) or (software near6 measur\$6) or (software adj2 (program or code)) near3 metrics) .ab.)) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:38

-	27	((((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)) or ((lexical\$5 and pars\$4 and (token near3 (type or categor\$4))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (lexical\$5 and pars\$4 and (token near3 (type or categor\$4)))) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:01
-	63	(((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:46
-	43	(((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and 717/\$) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:10
-	25	(((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and 717/\$) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:18
-	1	717/\$ and token\$6 and pars\$4 and (statement near3 builder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:00
-	392	717/\$ and token\$6 and pars\$4 and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:12
-	352	(717/\$ and token\$6 and pars\$4 and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (measur\$4 or count\$5 or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:02

-	7	((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((717/\$ and token\$6 and pars\$4 and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (measur\$4 or count\$5 or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:06
-	5819	((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or database or list or manifest or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:09
-	1307	((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:34
-	208	((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((plurality or different or variety) adj2 language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:01
-	26	717/\$ and (((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((plurality or different or variety) adj2 language)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:19
-	809	(support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:18
-	374	((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 15:01
-	39	717/\$ and ((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:19
-	27	("4974191" "5033087" "5083268" "5088038" "5095432" "5418717" "5426583" "5510981" "5528491" "5535120" "5659765" "5677835" "5768603" "5799268" "5806021" "5864788" "5873056" "5907821" "5963894" "5966686" "5983169" "6161083" "6173441" "6212500" "6230153" "6243669" "6330530").PN.	USPAT	2004/06/26 14:22

-	4	((("4974191" "5033087" "5083268" "5088038" "5095432" "5418717" "5426583" "5510981" "5528491" "5535120" "5659765" "5677835" "5768603" "5799268" "5806021" "5864788" "5873056" "5907821" "5963894" "5966686" "5983169" "6161083" "6173441" "6212500" "6230153" "6243669" "6330530").PN.) and ((number or count\$5) near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:27
-	10	("4791587" "4833611" "4916614" "4984178" "5029085" "5060155" "5136503" "5214583" "5243520" "5321607").PN.	USPAT	2004/06/26 14:24
-	52	(track\$4 or segregat\$4 or disassembl\$4 or separat\$4) near6 (((program or source or code) adj2 statement) and (annotation or comment or control or directive or macro or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:34
-	29	((track\$4 or segregat\$4 or disassembl\$4 or separat\$4) near6 (((program or source or code) adj2 statement) and (annotation or comment or control or directive or macro or data))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:30
-	4	((("4974191" "5033087" "5083268" "5088038" "5095432" "5418717" "5426583" "5510981" "5528491" "5535120" "5659765" "5677835" "5768603" "5799268" "5806021" "5864788" "5873056" "5907821" "5963894" "5966686" "5983169" "6161083" "6173441" "6212500" "6230153" "6243669" "6330530").PN.) and ((number or count\$5) near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:54
-	0	grammar and (pars\$3 near5 tree) and ((count\$5 or number) near4 (translated near2 (code adj2 (statement or line))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:48
-	9	grammar and (pars\$3 near5 tree) and ((count\$5 or number) near4 ((code adj2 (statement or line))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:48
-	11	("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.	USPAT	2004/06/26 14:53
-	6	((("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.) and ((number or count\$5) near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:54
-	3	((("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.) not (((("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.) and ((number or count\$5) near7 (statement or match or line)))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:13
-	160	4667290.URPN.	USPAT	2004/06/26 15:12

-	41	("3711863" "4667290" "4694420" "4807182" "4819233" "4951195" "5146586" "5191646" "5241678" "5265254" "5321828" "5410648" "5428786" "5446878" "5450586" "5488714" "5507030" "5546586" "5615369" "5675803" "5732273" "5732275" "5758061" "5764992" "5790858" "5802373" "5812855" "5870607" "5946484" "5966541" "5978588" "6018747" "6071316" "6138270" "6151701" "6202199" "6282698" "6282701" "6360359" "6393606" "6530044").PN.	USPAT	2004/06/26 15:14
-	19	3711863.URPN.	USPAT	2004/06/26 16:03
-	21	("3711863" "4204253" "4398249" "4463423" "4558413" "4589068" "4667290" "4686623" "4720778" "4734854" "4809170" "4819233" "4833606" "4931928" "4951192" "5065400" "5133063" "5170465" "5182806" "5193191" "5201050").PN.	USPAT	2004/06/26 16:12
-	1	((("3711863" "4204253" "4398249" "4463423" "4558413" "4589068" "4667290" "4686623" "4720778" "4734854" "4809170" "4819233" "4833606" "4931928" "4951192" "5065400" "5133063" "5170465" "5182806" "5193191" "5201050").PN.) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:14
-	36	(pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:27
-	2	("3544777" "3568156").PN.	USPAT	2004/06/26 16:22
-	2	4667290.URPN. and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:44
-	194	((count or number or total) adj2 (line near3 code)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:30
-	2	((count or number or total) adj2 (line near3 code)).ab.) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:54
-	32	((pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:32
-	32	((pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5) and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:39
-	21	5488714.URPN.	USPAT	2004/06/26 16:52

-	1369	(code near5 translat\$4) and (("any" or plurality or multiple or divers\$2) near3 (language or grammar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:54
-	564	((code near5 translat\$4) and (("any" or plurality or multiple or divers\$2) near3 (language or grammar))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:43
-	9	((code near5 translat\$4) and (("any" or plurality or multiple or divers\$2) near3 (language or grammar))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:55
-	33	((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) or ((lexical\$5 and pars\$4 and (token near3 (type or categor\$4))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (lexical\$5 and pars\$4 and (token near3 (type or categor\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:35

-	4	(((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) or ((lexical\$5 and pars\$4 and (token near3 (type or categor\$4))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (lexical\$5 and pars\$4 and (token near3 (type or categor\$4)))) and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:27
-	35	(717/\$ and (((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:45
-	26	((717/\$ and (((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:48
-	7	((717/\$ and (((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) not (Bowman.in. or Accenture.as.)) and ("any" near6 grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:48

-	26	(US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-6330530-\$ or US-5528491-\$ or US-5321607-\$ or US-5214583-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.	USPAT; US-PGPUB; IBM_TDB	2004/06/26 17:59
-	208	(((((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((plurality or different or variety) adj2 language)) and ((plurality or different or variety) adj2 language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
-	4	(compar\$4 and difference or merg\$4) and ((total near3 line) near4 sav\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/26 18:02
-	2	("3544777" "3568156").PN.	USPAT	2004/06/26 18:04
-	900	(number or total or count) near3 ((unchanged or changed or matching or non-matching or different or delta or unmatched) near2 line)	USPAT; US-PGPUB; IBM_TDB	2004/06/26 18:08
-	29	((((track\$4 or segregat\$4 or disassembl\$4 or separat\$4) near6 (((program or source or code) adj2 statement) and (annotation or comment or control or directive or macro or data))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:10
-	2	token and (code near3 count\$4).clm. and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:33
-	7	token and (code near8 count\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:28
-	6	("5123103" "5191646" "5321610" "5361360" "5493682" "5587935").PN.	USPAT	2004/06/26 18:32
-	25	(US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.	USPAT; US-PGPUB; IBM_TDB	2004/06/26 18:36

-	3	((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
-	3	((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)) and (parser or token)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
-	1	((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)) and ((plurality or different or variety) adj2 language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:39
-	2	((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)) and model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:39